	Application No.	Applicant(s)
	10/673,621	UCHIDA, KAORU
Notice of Allowability	Examiner	Art Unit
or the state of th	Colin M. LaRose	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Preliminary Amendment dated 20 April 2007</u> .		
2. The allowed claim(s) is/are 2-9, 11-18 and 20-27 (renumbered 1-24).		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 District of before all D	and a set A see March 2 are
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	, ,
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 6. ☐ Interview Summary Paper No./Mail Dat 	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date See Continuation Sheet	7. Examiner's Amenda	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
	•	

Continuation Sheet (PTOL-37)

Application No. 10/673,621

Continuation of Attachment(s) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date: 9/6/05, 7/19/04, 9/29/03.

Application/Control Number: 10/673,621

Art Unit: 2624

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

Applicant has rewritten dependent claims 2, 11, and 20 in independent form. Claims 2, 11, and 20 are patentably distinct from U.S. Patent 7,079,672 by Matsumoto et al.

Regarding previous claim 1, Matsumoto discloses a fingerprint authentication method (figure 5) comprising:

collating features of input data based on a fingerprint input by an user with features of enrolled data (step S82: an input fingerprint image is collated with, or compared to, features of enrolled data);

judging whether the input data are proper for authentication or not (steps S76 and S78); and

authenticating the input data according to results of said first step and said second step; wherein said second step is done on the basis of a spatial distribution of brightness in an input image represented by the input data (step S86 authenticates the input data based on both the input image matching the enrolled data (S82) and the input data being of sufficient quality (S78); the image quality analysis is performed using a spatial distribution of brightness—see e.g. column 18/25-59 and figure 15, where an "image quality determining value" is based on a horizontal distribution of brightness in the fingerprint image).

However, Matsumoto does not appear to disclose or suggest the additional limitations of claim 2, namely that the judging step includes finding "a pair of peak envelopes each of which links local maximums or local minimums on a graph of brightness against positions on the

Application/Control Number: 10/673,621

Art Unit: 2624

observation line" and calculating and using discriminative values based on the peaks to decide whether the input image data is proper.

For these reasons, claims 2, 11, and 20, and all claims dependent therefrom, are allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Colin M. LaRose whose telephone number is (571) 272-7423. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta, can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000. Any inquiry

Art Unit: 2624

of a general nature or relating to the status of this application or proceeding can also be directed to the TC 2600 Customer Service Office whose telephone number is (571) 272-2600.

Colin M. LaRose Group Art Unit 2624

11 May 2007